

SAFETY DATA SHEET of: Rocapox EP Floorcoating WD-600 Base

Revision date: Saturday, October 24, 2015

1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

1.1 Product identifier:

Rocapox EP Floorcoating WD-600 Base

1.2 Relevant identified uses of the substance or mixture and uses advised against:

/

Concentration in use: /

1.3 Details of the supplier of the safety data sheet:

PROKOL

Duizeldonksestraat 44

NL5705CA HELMOND (NEDERLAND)

Phone: 0031492547665 — Fax: 0031492547592

E-mail: jw.koolen@prokol.nl — Website: http://www.prokol.nl/

1.4 Emergency telephone number:

0031302748888

2 SECTION 2: Hazards identification:

2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

EUH208 H315 Skin Irrit. 2 H318 Eye Dam. 1

Classification of the substance or mixture in accordance with regulation 67/548/EC:

R41: Irritant

2.2 Label elements:

Symbols:



Signal word:

Danger

Hazard statements:

EUH208: Contains (2methyl-3(2H)-isothiazolon; mixture of 5-chloro-2-methyl-4-isothiazolin-3-

one and 2-methyl-4-isothiazolin-3-one). May produce an allergic reaction.

H315 Skin Irrit. 2: Causes skin irritation.

H318 Eye Dam. 1: Causes serious eye damage.

Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.

Contains:

Epoxyamineadduct

2.3 Other hazards:

none

3 SECTION 3: Composition/information on ingredients:

Bisphenol-A, biphenol-F, epichlorohydrin, polyethylene glycol, triethylene tetraamine, cresyl glycidyl ether, phenyl glycidyl ether, diethylenetriamine amine-functional copolymer	5% - 15%	CAS number: EINECS: REACH Registration number: CLP Classification: R-Phrases:	H315 Skin Irrit. 2 H318 Eye Dam. 1 R38 R41
2methyl-3(2H)-isothiazolon	< 5%	CAS number: EINECS: REACH Registration number: CLP Classification: R-Phrases:	2682-20-4 220-239-6 H301 Acute tox. 3 H311 Acute tox. 3 H314 Skin Corr. 1B H317 Skin Sens. 1 H318 Eye Dam. 1 H332 Acute tox. 4 H335 STOT SE 3 H400 Aquatic Acute 1 R24/25 R34 R37 R43 R50

< 5% mixture of 5-chloro-2-methyl-4-isothiazolin-3-one CAS number: 55965-84-9 and 2-methyl-4-isothiazolin-3-one **EINECS**: 611-341-5 **REACH Registration number: CLP Classification:** H301 Acute tox. 3 H311 Acute tox. 3 H314 Skin Corr. 1B H317 Skin Sens. 1 H331 Acute tox. 3 H400 Aquatic Acute 1 **H410 Aquatic Chronic 1**

R-Phrases:

R23/24/25

R43 R50/53

R34

For the full text of the H & R phrases mentioned in this section, see section 16.

4 SECTION 4: First aid measures:

4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

Skin contact: remove contaminated clothing, rinse skin with plenty of water and immediately

transport to hospital.

Eye contact: first prolonged rinsing with water (contact lenses to be removed if this is easily done)

then take to physician.

Ingestion: rinse mouth, do not induce vomiting, take to hospital immediately.

Inhalation: let sit upright, fresh air, rest and take to hospital.

4.2 Most important symptoms and effects, both acute and delayed:

Skin contact: redness, pain

Eye contact: caustic, redness, bad looking, pain

Ingestion: diarrhoea, headache, abdominal cramps, sleepiness, vomiting

Inhalation: sore throat, cough

4.3 Indication of any immediate medical attention and special treatment needed:

none

5 SECTION 5: Fire-fighting measures:

5.1 Extinguishing media:

CO2, foam, powder, sprayed water

5.2 Special hazards arising from the substance or mixture:

none

5.3 Advice for fire-fighters:

Extinguishing agents to be

none

avoided:

6 SECTION 6: Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up windRemove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

6.2 Environmental precautions:

do not allow to flow into sewers or open water.

6.3 Methods and material for containment and cleaning up:

remove by using absorbent material.

6.4 Reference to other sections:

for further information check sections 8 & 13.

7 SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

handle with care to avoid spillage.

7.2 Conditions for safe storage, including any incompatibilities:

keep in a sealed container in a closed, frost-free, ventilated room.

7.3 Specific end use(s):

/

8 SECTION 8: Exposure controls/personal protection:

8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

8.2 Exposure controls:

Inhalation protection:	use with sufficient exhaust ventilation. If necessary, use an air-purifying face mask in case of respiratory hazards. Use the ABEK type as protection against these troublesome levels.	
Skin protection:	handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Eye protection:	keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	
Other protection:	impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	

9 SECTION 9: Physical and chemical properties:

9.1 Information on basic physical and chemical properties:

Melting point/melting range:

Boiling point/Boiling range: 100 °C

pH: /
pH 1% diluted in water: /

Vapour pressure/20°C,:

Vapour density:not applicableRelative density, 20°C:1.380 kg/lAppearance/20°C:liquid

Flash point: /

Flammability (solid, gas): not applicable

Auto-ignition temperature: /
Upper flammability or explosive /

limit, (Vol %):

Lower flammability or explosive

limit, (Vol %):

Explosive properties: not applicable

Oxidising properties: not applicable

Decomposition temperature: /

Solubility in water: not soluble

Partition coefficient: n- not applicable

octanol/water:

Odour: characteristic
Odour threshold: not applicable
Dynamic viscosity, 20°C: 4 mPa.s
Kinematic viscosity, 20°C: 3 mm²/s

Evaporation rate (n-BuAc = 1): /

9.2 Other information:

Volatile organic component (VOC): /

Volatile organic component (VOC): 0.207 g/l

10 SECTION 10: Stability and reactivity:

10.1 Reactivity:

stable under normal conditions.

10.2 Chemical stability:

extremely high or low temperatures.

10.3 Possibility of hazardous reactions:

none

10.4 Conditions to avoid:

protect from sunlight and do not expose to temperatures exceeding + 50°C.

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

doesn't decompose with normal use

11 SECTION 11: Toxicological information:

11.1 Information on toxicological effects:

About the preparation itself: No data available

General information: See ingredients under section 3

Calculated acute toxicity, LD50 oral

rat:

Calculated acute toxicity, LD50

dermal rat:

12 SECTION 12: Ecological information:

12.1 Toxicity:

No data available

12.2 Persistence and degradability:

No data available

12.3 Bioaccumulative potential:

No data available

12.4 Mobility in soil:

Water hazard class, WGK:

Solubility in water: not soluble

12.5 Results of PBT and vPvB assessment:

No data available

12.6 Other adverse effects:

No data available

13 SECTION 13: Disposal considerations:

13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utillization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

14 SECTION 14: Transport information:

14.1 UN number:

not applicable

14.2 UN proper shipping name:

ADR, IMDG, ICAO/IATA not applicable

14.3 Transport hazard class(es):

Class(es): not applicable ldentification number of the not applicable

hazard:

14.4 Packing group:

not applicable

14.5 Environmental hazards:

not dangerous to the environment

14.6 Special precautions for user:

Hazard characteristics: not applicable
Additional guidance: not applicable

15 SECTION 15: Regulatory information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK: 1
Volatile organic component (VOC): /

Volatile organic component (VOC): 0.207 g/l Composition by regulation (EC) none

648/2004:

15.2 Chemical Safety Assessment:

No data available

16 SECTION 16: Other information:

Legend to abbreviations used in the safety data sheet:

Nr.: number

CAS: Chemical Abstracts Service

EINECS: European INventory of Existing Commercial chemical Substances

WGK: Water hazard class

WGK 1: slightly hazardous for water

WGK 2: hazardous for water

WGK3: extremely hazardous for water

ADR: Accord européen relatif au transport international des marchandises Dangereuses

par Route

TLV: Threshold Limit Value

PTB: persistent, toxic, bioaccumulative

vPvB: very persistent and very bioaccumulative substances
CLP: Classification, Labelling and Packaging of chemicals

DPD: Dangerous Preparations Directive

Legend to the R & H Phrases used in the safety data sheet:

: Contains 2methyl-3(2H)-isothiazolon; mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction. R23/24/25: Toxic by inhalation, in contact with skin and if swallowed. R24/25: Toxic in contact with skin and if swallowed. R34: Causes burns. R37: Irritating to respiratory system. R38: Irritating to skin. R41: Risk of serious damage to eyes. R43: May cause sensitisation by skin contact. R50: Very toxic to aquatic organisms. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

EUH208: Contains (2methyl-3(2H)-isothiazolon; mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4isothiazolin-3-one). May produce an allergic reaction. H301 Acute tox. 3: Toxic if swallowed. H311 Acute tox. 3: Toxic in contact with skin. H314 Skin Corr. 1B: Causes severe skin burns and eye damage. H315 Skin Irrit. 2: Causes skin irritation. H317 Skin Sens. 1: May cause an allergic skin reaction. damage. Eye Dam. 1: Causes serious eye H331 **Acute** tox. 3: Toxic if H335 STOT H332 Acute tox. 4: Harmful if inhaled. SE 3: May cause respiratory irritation. H400 Aquatic Acute 1: Very toxic to aquatic life. H410 Aquatic Chronic 1: Very toxic to aquatic life with long lasting effects.

Reason of revision, changes of following items:

Sections: 3, 9.2, 15.1

MSDS reference number:

ECM-105968,00

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 453/2010. Classification has been calculated in accordance with the European directive 67/548/EWG, 1999/45/EC and regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.